

Welbourn Preschool Illness and Exclusion Policy

"Welbourn Preschool is committed to safeguarding and promoting the welfare of children and adults at all times and expects everybody working within the setting to share this commitment"

The health and well-being of all the children, staff and parents/carers who attend Welbourn Preschool is of paramount importance to us. In order for us all to provide a clean and healthy environment it is important for us all to follow procedures, and we need your cooperation to support this;

- If parents/carers notice their child becoming ill or infectious they must inform the setting and they must have regard to the list below.
- If a child becomes ill or infectious at the setting, every effort will be made to contact
 the parents/carers. It is essential therefore that the setting has up to date
 information in order to be able to contact the parents/carers during the settings
 hours. If the parent/carer cannot be contacted, setting staff will endeavour to
 contact the other names contacts on the child's records.
- If the setting is unable to contact the parent/carer or other names contact, Welbourn Pre-School reserves the right to take the child to a general practitioner or hospital in an emergency. Parents/carers will be required to give signed consent for this procedure on registering their child at the setting.

Notification of exposure to infectious diseases

Illness/Infectious Diseases	Period of Exclusion
Chicken pox/shingles	5 days after the onset of the rash as long as
	spots have scabbed over.
Conjunctivitis	None (if there is an outbreak we will
	consider attendance).
Diarrhoea and/or vomiting	Children and staff should be away from the
	setting until their symptoms have settled
	and until 48 hours after the last episode of
	diarrhoea or vomiting.
Glandular fever	There is no benefit in keeping children or
	staff off once they feel well enough to attend
Hand, foot and mouth	None, however, whilst the child is unwell
	he/she should be kept away from the setting

Head lice	None. Treatment is only required if live lice		
	are seen in the hair (not eggs).		
Hepatitis	Hep A - Until the child feels well or until 7		
	days after the onset of jaundice, whichever		
	is the later		
	Hep B - Children who develop symptoms will be too ill to be at the setting		
	Hep C - Usually no symptoms but care must		
	be taken with bodily fluids if a person is		
	known to have Hepatitis C		
HIV/Aids	Should not be restricted or excluded		
Impetigo	Until 24 hours after the start of treatment. If		
	there is an outbreak, stop the use of sand,		
	water, playdough and cooking activities and		
	wash all dressing up clothes. (An outbreak		
	is 2 or more cases of the same infectious		
Measles, mumps and rubella	organism in a setting). Measles - Yes, until 5 days after the onset		
inicasies, mumps and rubella	of the rash.		
	Mumps - The child should be excluded 5		
	days after the onset of swelling.		
	Rubella - 6 days after onset of the rash, and		
	whilst unwell.		
Meningitis	Until recovered. (We will follow the		
	instructions of the local Health Protection		
	Unit)		
Molluscum contagiosum	No exclusion		
Pharyngitis/tonsillitis	If the disease is known to be caused by		
	streptococcal (bacteria) infection the child or member of staff should be kept away from		
	the setting until 24 hours after the start of		
	treatment. Otherwise they should stay at		
	home while they feel unwell.		
Rashes	A child who is unwell and has a rash should		
	visit their GP to establish the reason for it.		
Ringworm (Tinea)	Until treatment has commenced. Spread		
	can be prevented by good personal		
	hygiene, regular hand washing and use of		
Scarlet fever/Scarletina	separate towels and toilet articles.		
Scariet iever/scarietina	Child can return 24 hours after commencing appropriate antibiotic treatment		
Slapped cheek syndrome (Erythema	Avoid contact with pregnant women.		
infectious/fifth disease)	Advise that pregnant mothers contact their		
	GP for advice if they have had contact with		
	this infection. Follow good hygiene practice.		
Scabies	Child can return after first treatment-		
Typhoid, paratyphoid (enteric fever)	Yes, an infected child is likely to be very ill		
	and whilst infectious unable to attend the		
T. I (TD)	setting until cleared free by GP.		
Tuberculosis (TB)	'Open' cases - until 2 weeks after treatment		
	started. 'Open' cases of drug resistant TB when the hospital physician advises. ('open'		
	is determined by sputum samples).		
Verrucae	None		

Whooping cough (Pertussis)	48 hours from commencing antibiotic	
	treatment, or 21 days from onset of illness if	
	no antibiotic treatment .	
Worms	Not necessary	

Please note this list is not exhaustive but contains the most common exclusions.

Parents should always seek advice from their GP or Accident and Emergency department regarding the specific symptoms of their child.

We will actively promote the use of the 'Catch it, Bin it, and Kill it' initiative to teach children about good hygiene practices by promoting:

- The use of tissues for coughs and colds
- Access to bins to dispose of used tissues
- Hand washing in warm soapy water as soon as possible, before eating, preparing food and after toileting.

Covid-19 (Coronavirus)

If any child presents with a temperature of 37.8 or above and/or a new and persistent cough (this means coughing a lot more than an hour, or 3 or more coughing episodes within a 24 hour period) parents/carers will be notified immediately and the child will be looked after by a member of staff until the parent/carer arrives. We request that parents/carers will be required to follow the government guidance on testing and self - isolating and children must remain away from the setting until a negative test result has been given.

Please refer to our Covid 19 Illness policy for further information on self-isolating time scales, but any child who has a member of their family or someone in their extended bubble diagnosed with Covid-19 will need to remain away from the setting for the self-isolating period. Any siblings attending the nursery will also need to be taken home and remain away until the self-isolating period has passed.

Head Injuries

If a child receives a significant bump to their head it is our policy to contact the parent/carer immediately, for the child to be taken home or to the hospital if thought necessary. This is so the child can be monitored closely for any side effects or concussion. All injuries are logged in our accident book and signed by parents/carers.

Notification of exposure to infectious diseases

If a child contracts any of the above infectious diseases, other parents will be informed by an emergency newsletter and information on the notice board.

If we have reason to believe that any child is suffering from a notifiable disease identified as such in the Public Health (Infectious Diseases) Regulations 2010, we will inform the East Midlands North Protection Team and Ofsted (EYFS requirement 3.49). We will act on any advice given by them and inform Ofsted of any action taken.

A list of notifiable diseases can be found at www.hpa.org.uk and is displayed on our parent's notice board alongside the HPA poster 'Guidance on Infection Control in Schools and other Childcare Settings'.

The East Midlands North Health Protection Team can be contacted on:-

East Midlands HPT
Public Health England
Seaton House
City Link
Nottingham
NG2 4LA

Telephone: 0344 2254 524 (option 1) Out of hours advice: 0344 2254 524

This policy has been adopted by Welbourn Preschool

Signed on behalf of the setting by:

Chairperson	Secretary	Date:	Review Date:
		October 2020	October 2021